



QTA Bed ASSEMBLY INSTRUCTION

For Standard QTA bed

First of all, correctly spread out all of the pieces you are about to put together.



STEP 1: Fitting SIDE RAILS

Ensure **the metal brackets** on the headboard and footboard **are square** to the side rail brackets when fitting each side rail. Then, push down with your foot gently to complete.



STEP 2: Fitting THE CENTER LEG

It is important to do this step correctly

- * Remove the centre leg **extension** from its packaging, and **slide** it onto the centre leg.



- * Fit and tighten the nut and bolt **at the first hole up** from the ground.




STEP 3: Fitting THE CENTRE RAIL

- * **Extend** the centre rail, and **fit** to the headboard and footboard.




- * Then fit and tighten **the extension rail lock bolt**.




STEP 4: Adjusting THE CENTER RAIL FOOT

- * Unscrew **the rubber foot** under the centre rail leg, until it touches the ground.



- * Turn **the nut above the foot** clockwise until it **reaches the end of the extension leg**, then tighten it.



STEP 5: Fitting SLATS

- * When fitting the slats into the side rails, ensure **they are extended to fit firmly** into each side rail between their location blocks.



* The slat metal lock ring should be about 5cm from the end of each slat.



The assembly is now completed, and the standard mattress now sits on top of the slats.



Trust you enjoy our QTA bed for many years!